Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	COFDM with single near frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 12:23
L2	2	("20020028680").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:53
L3	130	QPSK same QAM same (more less increas$3 decreas$3) with (robust interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:04
L4	55	(QPSK with (more less increas$3 decreas$3) with (robust interference) same QAM) or (QAM with (more less increas$3 decreas$3) with (robust interference) same QPSK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:29
L5	3	l4 same (television tv) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:09
L6	4	l4 same (television tv cable) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:11
L7	442	((television tv cable) with (more less increas$3 decreas$3) with (robust interference) same data) or (data with (more less increas$3 decreas$3) with (robust interference) same (television tv cable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:12
L8	4	l7 same QPSK same QAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:28
L9	544	("8-vsb" "8 vsb" with (more less increas$3 decreas$3) with (robust interference) same COFDM) or (COFDM with (more less increas$3 decreas$3) with (robust interference) same "8-vsb" "8 vsb")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:32

L10	365	I9 same modulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:29
L11	544	("8-vsb" "8 vsb" with (more less increas$3 decreas$3) with (robust interference) same COFDM with QPSK) or (QPSK with COFDM with (more less increas$3 decreas$3) with (robust interference) same "8-vsb" "8 vsb")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:33
L12	1	(("8-vsb" "8 vsb") with (more less increas$3 decreas$3) with (robust interference) same COFDM with QPSK) or (QPSK with COFDM with (more less increas$3 decreas$3) with (robust interference) same ("8-vsb" "8 vsb"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:33
L13	1	(("8-vsb" "8 vsb") with (more less increas$3 decreas$3) with (robust interference) same COFDM) or (COFDM with (more less increas$3 decreas$3) with (robust interference) same ("8-vsb" "8 vsb"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:33
L14	19	COFDM near3 QPSK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:35
L15	75	COFDM with QPSK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:35
L16	5	COFDM with QPSK with ("8-vsb" "8 vsb")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:35
L17	20	(partition multiplex$3) same ("8-vsb" "8 vsb") same COFDM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:37
L18	2223	((375/216) or (455/454) or (455/450)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:20

L19	2	("20030026424").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:20
S1	2	("6023612").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:54
S2	91861	(@ad<="20000707" or @prad<="20000707" or @rlad<="20000707") and (transmi$5) same analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:10
S3	353	(common shared tv television) near2 (partition$3 portion section area segment division fraction) same (data user unique individual) near2 (partition$3 portion section area segment division fraction) and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:26
S4	215	modulat$3 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:25
S5	352	(common shared tv television) near2 (partition$3 portion section area segment division) same (data user unique individual) near2 (partition$3 portion section area segment division) and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:28
S6	26	(common shared tv television) near2 (partition$3 portion section area segment division) same (data user unique individual) near2 (partition$3 portion section area segment division) and S2 and (divid$3 partition$3 section$3) near3 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:29
S7	19	S6 and modulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:53
S8	19	S2 and (public shared common) near channel same (private unique) near channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:04

S9	2	S2 and channel near3 (partition$3 divid$3 seperat$3 split$4) same (public shared common) same (private unique) near channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:11
S10	2333561	(@ad<="20000707" or @prad<="20000707" or @rlad<="20000707") and (transmi$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:11
S11	4	S10 and channel near3 (partition$3 divid$3 seperat$3 split$4) same (public shared common) same (private unique) near channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:35
S12	4932	S10 and channel near (partition$3 divid$3 seperat$3 split$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:34
S13	98	S10 and channel near3 (partition$3 divid$3 seperat$3 split$4 section$3) same (public shared common) with (private unique user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:43
S14	76	S10 and channel near3 (partition$3 divid$3 seperat$3 split$4 section$3) same (public shared common) with (private unique user) with channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:44
S15	24	S10 and channel near3 (partition$3 divid$3 seperat$3 split$4 section$3) same (public shared common) with (private unique user adj specific) with channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:45
S16	5	analog and channel near3 partition$3 with frequency near2 domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:24
S17	2	analog near broadcast with frequency near multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:24
S18	36	analog near broadcast and frequency near multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:27

S19	416	analog with frequency near multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:27
S20	85	analog with frequency near multiplex$3 and broadcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:32
S21	12	analog with frequency near multiplex$3 and analog near broadcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:09
S22	70	("6 MHZ" or "6-MHz" or (analog adj video adj channel)) same (frequency near multiplex$3 or channel near partition$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:11
S23	65	("6 MHZ" or "6-MHz") same (frequency near multiplex$3 or channel near partition$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:11
S24	27	("6 MHZ" or "6-MHz") with (frequency near multiplex$3 or channel near partition$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:27
S28	72	("6 MHZ" or "6-MHz") same ("4 MHZ" or "4-MHz") same ("2 MHZ" or "2-MHz")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:28
S29	31	("6 MHZ" or "6-MHz") with ("4 MHZ" or "4-MHz") with ("2 MHZ" or "2-MHz")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:28
S30	7	S29 and (television tv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:56
S32	0	(benefit advantage purpose) near3 ("8-vsb" "8 vsb") near3 modulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:57

S33	24	(benefit advantage purpose) with ("8-vsb" "8 vsb")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:20
S34	1107	transmitt$3 same power near amplif$7 same (upconvert$3 up-convert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:29
S35	101	S34 same multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:29
S36	87	S35 and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:29
S37	27	S36 and (television tv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:29
S38	537	COFDM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:40
S39	10489	OFDM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:40
S40	116	S38 and QPSK and QAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:56
S41	10	S40 and "8-vsb"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:21
S42	68	COFDM same QPSK same QAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:22

S43	7	S42 and 8-vsb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:22
S44	7	S42 and "8-vsb"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:22
S45	2	("5386239").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 17:27
S46	1	("6961432").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 17:29
S47	117	COFDM and (television tv) with broadcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:30
S48	24	COFDM same (television tv) with broadcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:56
S49	3	COFDM same (television tv) with broadcast and QPSK and QAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:56
S50	80	S40 and (television tv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:56
S51	62	S50 and terrestrial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:57
S52	59	S51 and multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:57

S53	62	S51 and modulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 18:34
S54	363	QAM with QPSK with (more increas$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 18:34
S55	169	QAM near6 QPSK near6 (more increas$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 18:34
S56	1	QAM near6 QPSK near6 security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 18:35
S57	34	QAM near5 QPSK with (advantage purpose reason)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 12:05